## **BioCytex**

140, Chemin de l'Armée d'Afrique 13010 Marseille France Tel : +33 (0) 4 96 12 20 40 Fax : +33 (0) 4 91 47 24 71 Email : info@biocytex.fr

DATA SHEET

## CD105 (Cat #5100-P)

## MOUSE MONOCLONAL ANTIBODY ANTI-HUMAN CD105, PURIFIED

Clone	F4-30C5
Isotype	lgG2a
Partner of fusion	X63Ag8/653
Immunogen	Human umbilical cord vein endothelial cells (HUVEC).
Specificity	CD105, also known as endoglin, is a component of the TGF- $\beta$ receptor complex. It is mainly expressed on endothelial cells. Strong binding to human L-endoglin (full length) transfectants in NIH 3T3 murine fibroblasts has established the specificity of this antibody <sup>(1)</sup> .
Reactivity	Flow cytometry quantitation of CD105, using QIFIKIT <sup>®</sup> and unconjugated antibody clone F4-30C5, demonstrates that the antigen is highly expressed on HUVEC (602,000 +/- 223,000 molecules per cell, mean +/- SD) <sup>(2)</sup> . In Western blotting, 1 band of 180 kDa is detected under unreduced conditions <sup>(1)</sup> .
Application	Flow cytometry <sup>(1) (2)</sup> , Western blot <sup>(1)</sup> , immunomagnetic isolation of human endothelial cells, immunohistochemistry, immunoprecipitation <sup>(1)</sup> .
Form	Purified immunoglobulin in PBS-BSA 0.1%, pH 7.2, liquid, 1 mL.
Size	0.1 mg
Suggested amount	Quantitative flow cytometry : follow the package insert of CELLQUANT Calibrator kit (BioCytex ref. 7208). For indirect immunofluorescence : use 10 $\mu$ L of antibody per 3.10 <sup>5</sup> cells in 100 $\mu$ L sample. For other applications : the optimal dilution should be determined by the investigator.
Preservative	Sodium azide < 0.1%.
Storage	As delivered at 2-8°C until expiration date. After opening, aliquote contents and freeze at -20°C. Avoid repeated freezing and thawing.
HLDA Workshop	Leucocyte Typing VI.
References	<ol> <li>Kishimoto T. <i>et al.</i>, Leucocyte Typing VI, Garland Publishing. 1997, 703-709.</li> <li>Mutin M. <i>et al.</i>, Tissue antigens. 1997, 50(5), 449-458.</li> </ol>

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURE.